




# YOUR SMART LIFT SOLUTION



Add value to your property,  
lift your lifestyle with  
**Aresforti Circular villalift**



## ABOUT ARESFORTI

### Who we are

Aresforti is an agile & dynamic firm located in Istanbul. As experts in our business since 2012, we provide the highest standard of products & safety to the elevator industry. As a family owned and operated company, we aim to treat you like family as well. Our team wants you to feel comfortable throughout the production-process, ensuring we're creating the 'look & feel' you want in an efficient and safe manner.

### Compliance & Safety

When you work with Aresforti, you can sleep well at night knowing that safety and compliance are at the heart of everything we do, from start to finish. We want your elevator to look incredible, but we will not sacrifice safety for design. We always work with high-quality materials and highly-qualified employees to create stunning elevator designs that pass inspections with flying colors.

### Why Aresforti Circular lift

It is not a luxury option but rather a **smart choice!**

Home lifts are becoming so popular. Many architects are now drawing them into their plans for all multiple-story homes. Life is changing, and our lifestyle is evolving every day. The population is growing recently, people have to build up because they can't afford the land to build out. Still, many people think that having a home lift is a luxury option. We hear this cliché: this is only for 'rich people. Well, at **Aresforti elevators** we believe that the concept of home-lift must be affordable for every-body, all kinds of properties, any time and everywhere on this planet simply because that is possible!

Our home-lift design will allow you for example to create a new access from your garages to the upstairs, to lift your furniture or heavy objects smoothly between floors, to move safely with your little newborn child in your house, to make the life of our disabled family members easier and happier, to make your clients have a new and unique lift-experience while shopping in your store or staying at your hotel, and so on.

Think about it, a home lift does not differ from any other heavy equipment in your house such as air-conditioning or even the washing machine. It is there to make our life **smarter** and more **comfortable**. Also keep in mind that home-elevators can add a new value to your property and increase its position in the market.

So keep in mind, It is not a luxury option but rather a **smart choice** and **long-term thinking!**




# What Makes us Unique?



## Smart Civil Work

This lift is an ideal solution to be installed on the exterior face of the building, in the lobby, or at any place where it can enhance the elevation and the 'look&feel' of the building. We introduce you to an electrical home elevator that requires no supporting wall, pit, or hydraulics vacuum systems. Just plug it into your domestic electrical socket and start moving up & down!




## Minimal Maintenance

This is an electrical self-supporting elevator. No use of oil, vacuum systems, or counterweights. This means less maintenance and saves a lot of additional costs and time during the installation-process.



## Plug & Play

This elevator comes as a semi-assembled unit. Just install, plug & play. No surprises!



## Self Supported Structure

**Aresforti CIRCULAR VILLALIFT** is a stand-alone elevators that does not require any supporting beam, column or walls. All you need is the space!



## Panoramic View

The unique glassy sightseeing capsule enables the passengers to have eye contact with the surrounding area, even when the lift is in motion.



## Green Elevator

This elevator is made of eco-friendly raw materials that are harmless when damaged. It requires the least amount of assembly and maintenance resources and consumes less energy when in use compared to the other traditional elevators.



## Noise

When using **Aresforti CIRCULAR VILLALIFT**, you can count on a smooth moving system with no commotion and minimum level of noise.





# Certificate



**LVT Test Laboratuvarları Ltd. Şti.**  
www.lvt.com.tr  
Sarıyer Modern Kentsel Yerleşke 4. Cadde No: 8  
Kazran / ANKARA  
Tel: 0 312 815 13 25-26 Faks: 0 312 815 13 27

## DENEY RAPORU

Test Report

1/04

Müşteri	ARESPORT ELEVATOR SANAYİ VE TİCARET LTD. ŞTİ.
Adres	AYDINLI SB MAH. YELMEN CAD. NO:8 TUZLA, TÜRKİYE
İmalatçı	ARESPORT ELEVATOR SANAYİ VE TİCARET LTD. ŞTİ.
Deney Numarası	Circular VİLLA-1500
Marka	ARESPORT
Deney Metodu	TS EN 12018:2014, EN 12018:2013 TS EN 12015:2020, EN 12015:2020
Deney Tarihi	24.09.2021
Tecrübenin Sayısı	24
Başarı Tarihi	22.10.2021

Bu rapor, Laboratuvarımız tarafından yapılan deneylerin sonucunu göstermektedir. Bu rapor, laboratuvarımız tarafından yapılan deneylerin sonucunu göstermektedir. Bu rapor, laboratuvarımız tarafından yapılan deneylerin sonucunu göstermektedir.



Deney Sorumlusu

Areport in Charge of Test

Tarih: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021

Yazı: 04.09.2021



## EC-TYPE EXAMINATION CERTIFICATE

TUV AUSTRIA TÜRK is a notified body  
under the Machinery Directive 2006/42/EC, Appointment Number 2737

Certificate No: 21-MD-TEC-001-TAT-2021-022

Applicant: ARESPORT ELEVATOR SANAYİ VE TİCARET LTD. ŞTİ.

Manufacturer: ARESPORT ELEVATOR SANAYİ VE TİCARET LTD. ŞTİ.

Designation of the Product: HOME LIFT

Type/Model(s): # Circular - 1100, Circular - 1300, Circular - 1500, Circular - 1700, #

# Octagon - 1100, Octagon - 1300, Octagon - 1400, Octagon - 1500, #

# Square - 1, Square - 2, Square - 3, Square - 4

Technical File No: 21-MD-TEC-001-TAT-01

MDT Document No: MD-0737-000003

Assessor ID No: TU-040-201

Date/Place of Assessment: 30.09.2021

Issue Date: 29.10.2021

Expiry Date: 29.10.2026

This Certificate of Conformity is issued on customer request according to Machinery Directive 2006/42/EC

article 17.3. The issued equipment in Annex 21 complies with the harmonized standard and Annex 1 the

Essential Health and Safety Requirements of the directive. It refers only to the particular sample and its

technical documentation submitted for inspection.

Technical File No: 21-MD-TEC-001-TAT-01

MDT Document No: MD-0737-000003

Assessor ID No: TU-040-201

Date/Place of Assessment: 30.09.2021

Issue Date: 29.10.2021

Expiry Date: 29.10.2026

This Certificate of Conformity is issued on customer request according to Machinery Directive 2006/42/EC

article 17.3. The issued equipment in Annex 21 complies with the harmonized standard and Annex 1 the

Essential Health and Safety Requirements of the directive. It refers only to the particular sample and its

technical documentation submitted for inspection.

Technical File No: 21-MD-TEC-001-TAT-01

MDT Document No: MD-0737-000003

Assessor ID No: TU-040-201

Date/Place of Assessment: 30.09.2021

Issue Date: 29.10.2021

Expiry Date: 29.10.2026

This Certificate of Conformity is issued on customer request according to Machinery Directive 2006/42/EC

article 17.3. The issued equipment in Annex 21 complies with the harmonized standard and Annex 1 the

Essential Health and Safety Requirements of the directive. It refers only to the particular sample and its

technical documentation submitted for inspection.

Technical File No: 21-MD-TEC-001-TAT-01

MDT Document No: MD-0737-000003

Assessor ID No: TU-040-201

Date/Place of Assessment: 30.09.2021

Issue Date: 29.10.2021

Expiry Date: 29.10.2026

This Certificate of Conformity is issued on customer request according to Machinery Directive 2006/42/EC

article 17.3. The issued equipment in Annex 21 complies with the harmonized standard and Annex 1 the

Essential Health and Safety Requirements of the directive. It refers only to the particular sample and its

technical documentation submitted for inspection.

Technical File No: 21-MD-TEC-001-TAT-01

MDT Document No: MD-0737-000003

Assessor ID No: TU-040-201

Date/Place of Assessment: 30.09.2021

Issue Date: 29.10.2021

Expiry Date: 29.10.2026

This Certificate of Conformity is issued on customer request according to Machinery Directive 2006/42/EC

article 17.3. The issued equipment in Annex 21 complies with the harmonized standard and Annex 1 the

Essential Health and Safety Requirements of the directive. It refers only to the particular sample and its

technical documentation submitted for inspection.

Technical File No: 21-MD-TEC-001-TAT-01

MDT Document No: MD-0737-000003

Assessor ID No: TU-040-201

Date/Place of Assessment: 30.09.2021

Issue Date: 29.10.2021

Expiry Date: 29.10.2026

This Certificate of Conformity is issued on customer request according to Machinery Directive 2006/42/EC

article 17.3. The issued equipment in Annex 21 complies with the harmonized standard and Annex 1 the

Essential Health and Safety Requirements of the directive. It refers only to the particular sample and its

technical documentation submitted for inspection.

Technical File No: 21-MD-TEC-001-TAT-01

MDT Document No: MD-0737-000003

Assessor ID No: TU-040-201

Date/Place of Assessment: 30.09.2021

Issue Date: 29.10.2021

Expiry Date: 29.10.2026





# Why can you place full trust in Aresforti's technology ?



As pioneers and experts in this field, we are aware of any potential risks that might accrue when using residential home lifts. This is why we have gone the whole way to obtain a full European certification for our product making sure that safety is in the heart of every piece of this elevator. By choosing Aresforti **CIRCULAR VILLALIFT**, you choose to bring a highly proven type of lift machine into your property.

Aresforti **CIRCULAR VILLALIFT** have been tested thoroughly and has met the required safety & performance standards of the **Machine Directive 2006/42/EC**. This directive harmonizes the health and safety requirements for the design and construction of machinery at the EU level to the primarily protection of persons.

## 8 LAYERS OF SAFETY

### Photosell Sensors

This high quality light sensor will force the lift to stop immediately when passengers or objects approach the exit of the lift while in use.

1

### 2 Mechanical Guide Rails Brakes

Even if all the cables snapped, the elevator still would not fall to the bottom floor. Thanks to the passive, automatic, built-in braking system these brakes will lock in place whenever the elevator starts to fall faster than an allowed amount.

2

### 3 Overload Sensor

When the car is overloaded, the elevator won't move and will give a sign on the COP.

3

### 4 Limit & Emergency Stop Switches

These switches will assure stopping the car when the lift reaches or passes its final destination or in case of emergency.

4

### 5 Machine Brake Hand

In case of emergency this system allows the technician to free the car and make it descent to the closest down floor.

5

### 6 Magnetic Lock Switch

To ensure that the door of the elevator can open only if the car is available and the elevator is not in use.

6

### 7 Overspeed Governor

This device is specifically designed to stop the lift if it runs beyond the prescribed speed.

7

### 8 Rescuing System UPS with Support

This is a battery backup system that provides backup power when the regular power source fails or voltage drops to an unacceptable level. In that case, the battery mode is automatically turned on.


8



SAFETY




# Customization




## Adaptability

The technological simplicity of this product makes this lift an extremely adaptable elevator and helps you to make full usage of the space and elevation of your property. This lift can be installed without any additional reinforcement or structural changes in the building. That makes the elevator tremendously friendly for new or even vintage homes.



## Flexibility

We strived to ensure full flexibility of this lift making sure that a G+1 elevator can be converted into a G+2 or a G+3 elevator in the future. If needed, the whole elevator can be completely dismantled and relocated to a new place in or out of the building or even to a new property.



## Return to Home

The technology of this lift allows stationing the lift on any floor of your desire. Thanks to the installed timed electronic system, you can easily choose where your lift should land when not in use.




### **ARESFORTI CIRCULAR VILLALIFT**

After a solid research and development journey, **ARESFORTI Elevators** has launched it's new **CIRCULAR VILLALIFT** model. This elevator comes with superior aesthetics, a more sleeker design and a smoother passenger ride. This lift has been crafted to perfection until the details to assure you an **amazing lift experience!**



# General Specifications



OUT DIAMETER	1100 MM	1300 mm	1500 mm	1700 mm
PIT	120 MM	120 mm	120 mm	120 mm
OV.HEAD	3100MM	3100 mm	3100 mm	3100 mm
TRAVEL (MAX)	20 MT	20 MT	20 MT	20 MT
CAPACITY	200 KG	300 KG	400 KG	500 KG
STATIC LOAD	300 KG	600 KG	700 KG	800 KG
ENCODER	FNC 50H (*EC)	FNC 50H (*EC)	FNC 50H (*EC)	FNC 50H (*EC)
SPEED	0.15 - 0.30 M/S	0.15 - 0.30 M/S	0.15 - 0.30 M/S	0.15 - 0.30 M/S
POWER SUPPLY	220 V-50 Hz	220 V-50 Hz	380 V-50 Hz	380 V- 50 Hz
MACHINE KW	3,7 KW - 1 Phase	3,7 KW - 1 Phase	5,5 KW - 3 Phase	6,8 KW - 3 Phase

## Single Entrance






PRODUCT CODE	CVL-SEN-1100	CVL-SEN-1300	CVL-SEN-1500	CVL-SEN-1700
CABINET DIAMETER	800 MM	1000 MM	1200 MM	1400 MM
CABINET HEIGHT	2120 MM	2100 MM	2100 MM	2100 MM
INNER DOOR SIZE	600 X 2100 MM	600 X 2100 MM	750 X 2100 MM	900 X 2100 MM
OUTER DOOR SIZE	800 X 2100 MM	800 X 2100 MM	960 X 2100 MM	1100 X 2100 MM

## Opposite Entrance

PRODUCT CODE	CVL-OPPEN-1100	CVL-OPPEN-1300	CVL-OPPEN-1500	CVL-OPPEN-1700
CABINET DIAMETER	800 MM	1000 MM	1200 MM	1400 MM
CABINET HEIGHT	2100 MM	2100 MM	2100 MM	2100 MM
INNER DOOR SIZE	600 X 2100 MM	600 X 2100 MM	750 X 2100 MM	900 X 2100 MM
OUTER DOOR SIZE	800 X 2100 MM	800 X 2100 MM	960 X 2100 MM	1100 X 2100 MM

## Three Way Entrance

PRODUCT CODE	-	CVL-THW-1300	CVL-THW-1500	CVL-THW-1700
CABINET DIAMETER	-	1000 MM	1200 MM	1400 MM
CABINET HEIGHT	-	2100 MM	2100 MM	2100 MM
INNER DOOR SIZE	-	600 X 2100 MM	750 X 2100 MM	900 X 2100 MM
OUTER DOOR SIZE	-	800 X 2100 MM	960 X 2100 MM	1100 X 2100 MM




# Color Options




At Aresforti Elevators we offer a wide range of color variants to help you choosing the most 'look & feel' that suits your building's décor.

## Standard Options


Our ESP painting method reflects itself in a shiny surface, flexible & durable coating which is less liable to chip or peel. All used materials are appropriate for inside or outside use with no VOC content.




Ral 9001  
**Cream**




Ral 1004  
**Golden Yellow**




Ral 5002  
**Ultramarine Blue**




Ral 9004  
**Signal Black**




Ral 9003  
**Signal White**



Ral 8012  
**Red Brown**



Ral 9007  
**Grey Aluminium**




Ral 8003  
**Clay Brown**




**You Can Choose More!**

## Stainless Steel Options

Alternatively we offer stainless steel covers in variant colors and cravings.




**Gold Steel**



**Black Steel**



**Stainless**



**Rose Steel**



# Technical Specification

## General

Maximum Travel	: 14 MT
Maximum Levels	: 5 Stops / 17.1 MT
Pit Depth	: 120 mm - No pit with optional short ramp
Installation Place	: Inside - Outside
Drive Train	: Winding Drum Machine with Encoder (Made in Italy)
Machine Control	: Preprogrammed variable frequency drive (Made in Turkey)
Rope	: 8 mm standard: Turkish quality, on request: German quality.
Transmission	: Ultra-low vibration, 3-stage, right-angle, helical-bevel drive.
Noise Level	: 54db ventilator OFF - 56db with ventilator ON.

## Internal Specifications

Cabin CLADDING	: CLEAR SOLID Polycarbonate (250 times stronger than glass)
Cabin Ceiling	: LED Spot Light - Spot Light
Cabin Operating Panel	: Intercom - Alarm - Emergency Stop Button (cop-lop is GENEMEK brand made in Turkey)
Overload Indication	: Built in on COP
Cabin Flooring	: Pvc - Wood
Cop	: Intercom - alarm - fan - emergency stop button (COP-LOP made in Turkey).
Cabinet Ceiling	: Etched steel or wood with spot light.

## External Specifications


Shaft Construction	: Profil
Structure Cladding Glass	: Solid Polycarbonate 4 mm (Made in Germany).
Landing Door Height	: 2100 mm
Door Cladding	: Laminated tempered glass 4X4 mm
Door Type	: Swing manuel door and swing semi-automatic choice
Door interlocks	: Italian brand - (Made in Italy)

## Multiple Door Access

The door access for this elevator can be customized according to the situation in the building.

The flexible design of this elevator allows us to install the entrance or the exits from different sides on each floor.

This adjustability can be very handy within buildings that have been originally built without elevators.







**ARESFORTI**  
ELEVATOR

WE  
**RISE**  
**TOGETHER**

